



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

QA Testing

1 of 6

Formula 348 Botanical Kanna & Blue Lotus Non-Alcoholic Wine

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp | Non-Alcohol

Sample ID: 2606DEC0881.2777

Strain: Kanna & Blue Lotus

Matrix: Ingestible

Type: Beverage

Sample Size: 4 units; Batch: 4 units

Produced: 06/15/2026

Collected: 06/29/2026

Received: 06/29/2026

Completed: 07/02/2026

Batch#: F348BKBLNAW

Distributor

7 Omegaz, Inc.

417 S San Pedro St.

Los Angeles, CA 90013

Producer

7 Omegaz, Inc.

Lic. # N/A

417 S San Pedro St. Los Angeles, CA 90013



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/01/2026	Pass
Residual Solvents	07/02/2026	Pass
Microbials	07/01/2026	Pass
Mycotoxins	07/01/2026	Pass
Pesticides	07/01/2026	Pass
Heavy Metals	07/02/2026	Pass
Foreign Matter	06/29/2026	Pass

Cannabinoids

Pass

ND		ND		ND	
Total THC		Total CBD		Total (neutral) Cannabinoids	
Analyte	LOD	LOQ	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/mL
THCa	0.0050	0.0100	ND	ND	ND
Δ9-THC	0.0050	0.0100	ND	ND	ND
Δ8-THC	0.0050	0.0100	ND	ND	ND
THCV	0.0050	0.0100	ND	ND	ND
CBDa	0.0050	0.0100	ND	ND	ND
CBD	0.0050	0.0100	ND	ND	ND
CBDV	0.0050	0.0100	ND	ND	ND
CBN	0.0050	0.0100	ND	ND	ND
CBGa	0.0050	0.0100	ND	ND	ND
CBG	0.0050	0.0100	ND	ND	ND
CBC	0.0050	0.0100	ND	ND	ND
Total THC			ND	ND	ND
Total CBD			ND	ND	ND
Total (neutral) Cannabinoids			ND	ND	ND

Date Tested: 07/01/2026

1 mL = 1g. 4 servings per container.

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDa x 0.877) + CBG + (CBGa x 0.877) + CBN + Δ9-THC + (THCa x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan, PhD
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

QA Testing

2 of 6

Formula 348 Botanical Kanna & Blue Lotus Non-Alcoholic Wine

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp | Non-Alcohol

Sample ID: 2606DEC0881.2777

Produced: 06/15/2026

Distributor

Producer

Strain: Kanna & Blue Lotus

Collected: 06/29/2026

7 Omegaz, Inc.

7 Omegaz, Inc.

Matrix: Ingestible

Received: 06/29/2026

417 S San Pedro St.

Type: Beverage

Completed: 07/02/2026

Los Angeles, CA 90013

Lic. # N/A

Sample Size: 4 units; Batch: 4 units

Batch#: F348BKBLNAW

417 S San Pedro St. Los Angeles, CA 90013

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.015	0.065	0.3	ND	Pass	Fludioxonil	0.006	0.025	30	ND	Pass
Acephate	0.004	0.025	5	ND	Pass	Hexythiazox	0.008	0.025	2	ND	Pass
Acequinocyl	0.005	0.025	4	ND	Pass	Imazalil	0.004	0.025	0.004	ND	Pass
Acetamiprid	0.003	0.025	5	ND	Pass	Imidacloprid	0.004	0.025	3	ND	Pass
Aldicarb	0.007	0.025	0.007	ND	Pass	Kresoxim Methyl	0.005	0.025	1	ND	Pass
Azoxystrobin	0.002	0.025	40	ND	Pass	Malathion	0.007	0.025	5	ND	Pass
Bifenazate	0.004	0.025	5	ND	Pass	Metalaxyl	0.005	0.025	15	ND	Pass
Bifenthrin	0.005	0.025	0.5	ND	Pass	Methiocarb	0.006	0.025	0.006	ND	Pass
Boscalid	0.007	0.025	10	ND	Pass	Methomyl	0.002	0.025	0.1	ND	Pass
Captan	0.164	0.5	0.7	ND	Pass	Mevinphos	0.004	0.025	0.004	ND	Pass
Carbaryl	0.007	0.025	0.5	ND	Pass	Myclobutanil	0.005	0.025	9	ND	Pass
Carbofuran	0.002	0.025	0.002	ND	Pass	Naled	0.005	0.025	0.5	ND	Pass
Chlorantraniliprole	0.007	0.025	40	ND	Pass	Oxamyl	0.004	0.025	0.2	ND	Pass
Chlordane	0.012	0.05	0.012	ND	Pass	Paclobutrazol	0.004	0.025	0.004	ND	Pass
Chlorfenapyr	0.022	0.1	0.022	ND	Pass	Parathion Methyl	0.009	0.05	0.009	ND	Pass
Chlorpyrifos	0.003	0.025	0.003	ND	Pass	Pentachloronitrobenzene	0.019	0.1	0.2	ND	Pass
Clofentezine	0.005	0.025	0.5	ND	Pass	Permethrin	0.018	0.1	20	ND	Pass
Coumaphos	0.006	0.025	0.006	ND	Pass	Phosmet	0.003	0.025	0.2	ND	Pass
Cyfluthrin	0.01	0.05	1	ND	Pass	Piperonyl Butoxide	0.003	0.025	8	ND	Pass
Cypermethrin	0.007	0.025	1	ND	Pass	Prallethrin	0.006	0.025	0.4	ND	Pass
Daminozide	0.015	0.05	0.015	ND	Pass	Propiconazole	0.006	0.025	20	ND	Pass
Diazinon	0.004	0.025	0.2	ND	Pass	Propoxur	0.004	0.025	0.004	ND	Pass
Dichlorvos	0.006	0.025	0.006	ND	Pass	Pyrethrins	0.01	0.042	1	ND	Pass
Dimethoate	0.003	0.025	0.003	ND	Pass	Pyridaben	0.004	0.025	3	ND	Pass
Dimethomorph	0.004	0.025	20	ND	Pass	Spinetoram	0.005	0.025	3	ND	Pass
Ethoprophos	0.003	0.025	0.003	ND	Pass	Spinosad	0.006	0.025	3	ND	Pass
Etofenprox	0.005	0.025	0.005	ND	Pass	Spiromesifen	0.005	0.025	12	ND	Pass
Etoazole	0.003	0.025	1.5	ND	Pass	Spirotetramat	0.01	0.05	13	ND	Pass
Fenhexamid	0.008	0.025	10	ND	Pass	Spiroxamine	0.005	0.025	0.005	ND	Pass
Fenoxycarb	0.004	0.025	0.004	ND	Pass	Tebuconazole	0.006	0.025	2	ND	Pass
Fenpyroximate	0.006	0.025	2	ND	Pass	Thiacloprid	0.004	0.025	0.004	ND	Pass
Fipronil	0.006	0.025	0.006	ND	Pass	Thiamethoxam	0.007	0.025	4.5	ND	Pass
Flonicamid	0.01	0.05	2	ND	Pass	Trifloxystrobin	0.004	0.025	30	ND	Pass

Date Tested: 07/01/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-TM010 & SOP-TM009; Instrument: LCMSTQ & GCMSTQ. Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using GCMSTQ system.



Levon Antonyan, PhD
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
<http://decanolabs.org>
Lic# C8-0000138-LIC

QA Testing

3 of 6

Formula 348 Botanical Kanna & Blue Lotus Non-Alcoholic Wine

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp | Non-Alcohol

Sample ID: 2606DEC0881.2777

Strain: Kanna & Blue Lotus

Matrix: Ingestible

Type: Beverage

Sample Size: 4 units; Batch: 4 units

Produced: 06/15/2026

Collected: 06/29/2026

Received: 06/29/2026

Completed: 07/02/2026

Batch#: F348BKBLNAW

Distributor

7 Omegaz, Inc.

417 S San Pedro St.

Los Angeles, CA 90013

Producer

7 Omegaz, Inc.

Lic. # N/A

417 S San Pedro St. Los Angeles, CA 90013

Microbials

Pass

Analyte	Limit	Results	Status
E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass



Date Tested: 07/01/2026

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-TM006; Instrument: PCR




Levon Antonyan, PhD
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

QA Testing

4 of 6

Formula 348 Botanical Kanna & Blue Lotus Non-Alcoholic Wine

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp | Non-Alcohol

Sample ID: 2606DEC0881.2777

Strain: Kanna & Blue Lotus

Matrix: Ingestible

Type: Beverage

Sample Size: 4 units; Batch: 4 units

Produced: 06/15/2026

Collected: 06/29/2026

Received: 06/29/2026

Completed: 07/02/2026

Batch#: F348BKBLNAW

Distributor

7 Omegaz, Inc.

417 S San Pedro St.

Los Angeles, CA 90013

Producer

7 Omegaz, Inc.

Lic. # N/A

417 S San Pedro St. Los Angeles, CA 90013

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.45	5		ND	Tested
B2	1.173	5		ND	Tested
G1	1.543	5		ND	Tested
G2	1.573	5		ND	Tested
Ochratoxin A	3.247	10	20	ND	Pass
Total Aflatoxins	5.739	20	20	ND	Pass

Date Tested: 07/01/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-TM010; Instrument: LCMSTQ.



Levon Antonyan, PhD
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

QA Testing

5 of 6

Formula 348 Botanical Kanna & Blue Lotus Non-Alcoholic Wine

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp | Non-Alcohol

Sample ID: 2606DEC0881.2777

Strain: Kanna & Blue Lotus

Matrix: Ingestible

Type: Beverage

Sample Size: 4 units; Batch: 4 units

Produced: 06/15/2026

Collected: 06/29/2026

Received: 06/29/2026

Completed: 07/02/2026

Batch#: F348BKBLNAW

Distributor

7 Omegaz, Inc.

417 S San Pedro St.

Los Angeles, CA 90013

Producer

7 Omegaz, Inc.

Lic. # N/A

417 S San Pedro St. Los Angeles, CA 90013

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0040	0.010	1.5	0.0181	Pass
Cadmium	0.0036	0.010	0.5	ND	Pass
Lead	0.0032	0.010	0.5	<LOQ	Pass
Mercury	0.0004	0.001	3	<LOQ	Pass

Date Tested: 07/02/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Heavy Metals Testing Method: SOP-TM008; Instrument: ICPMS



Levon Antonyan, PhD
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

QA Testing

6 of 6

Formula 348 Botanical Kanna & Blue Lotus Non-Alcoholic Wine

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp | Non-Alcohol

Sample ID: 2606DEC0881.2777

Strain: Kanna & Blue Lotus

Matrix: Ingestible

Type: Beverage

Sample Size: 4 units; Batch: 4 units

Produced: 06/15/2026

Collected: 06/29/2026

Received: 06/29/2026

Completed: 07/02/2026

Batch#: F348BKBLNAW

Distributor

7 Omegaz, Inc.

417 S San Pedro St.

Los Angeles, CA 90013

Producer

7 Omegaz, Inc.

Lic. # N/A

417 S San Pedro St. Los Angeles, CA 90013

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.058	0.196	1	ND	Pass
Acetone	6.208	19.532	5000	ND	Pass
Acetonitrile	11.685	39.062	410	ND	Pass
Benzene	0.080	0.390	1	ND	Pass
Butane	10.714	39.062	5000	ND	Pass
Chloroform	0.135	0.782	1	<LOQ	Pass
Ethanol	16.135	78.126	5000	848.150	Pass
Ethyl-Acetate	8.137	39.062	5000	ND	Pass
Ethyl-Ether	19.243	78.126	5000	ND	Pass
Ethylene Oxide	0.248	0.782	1	ND	Pass
Heptane	3.225	9.772	5000	ND	Pass
Isopropanol	25.720	78.126	5000	ND	Pass
Methanol	15.766	78.126	3000	<LOQ	Pass
Methylene-Chloride	0.128	0.390	1	ND	Pass
n-Hexane	2.985	9.766	290	ND	Pass
Pentane	9.621	39.062	5000	ND	Pass
Propane	9.917	39.062	5000	ND	Pass
Toluene	8.470	39.062	890	ND	Pass
Trichloroethene	0.060	0.196	1	ND	Pass
Xylenes	1.477	4.883	2170	ND	Pass

Date Tested: 07/02/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-TM007; Instrument: GCMSHS



Levon Antonyan, PhD
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.